



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

shall expose such foodstuffs to contamination, and all foodstuffs coming under subsections *a* and *b* offered for sale from any wagon, cart, or other vehicle shall be protected as required by subsections *b* and *c* of this section.

Drinking Water—Source of—Certification. (Ord. Dec. 1, 1914.)

14. *a.* Every building in the city of Cumberland used as a dwelling or habitation for human beings, where sewer connection is available, shall be supplied with the city water service for sanitary and domestic purposes, unless there is provided from some other source a water supply adequate and of a standard of purity to meet the standard adopted by the city.

b. No hotel, boarding house, café, lunch room, bar, or other place where the public is served with meals or drink shall serve for drinking purposes any water other than the city tap supply unless the water so used is first boiled, distilled, or has been approved for such use by the health officer.

d. No water from wells, springs, or other private supply of water shall be permitted to be used within the city limits unless the water from such well, etc., has been certified to as of standard adopted by the board of health. The board of health is empowered to set a standard of purity, and all wells, etc., the water from which has been analyzed and certified to shall be so placarded by the health department. Any water from well, spring, or other source in the city or brought into the city not so placarded or certified shall be declared a nuisance, and the person so maintaining such spring, well, or other source shall, upon conviction, be fined not less than \$25 and \$5 for each day such well, spring, or other source is permitted to exist after due notice from the health officer to abandon and destroy the same.

Ice—Manufacture and Sale. (Ord. Dec. 1, 1914.)

14. *c.* No ice shall be sold, given away, or delivered within the city limits for domestic use, or that may be used for domestic use, until after the water from which such ice is made has been analyzed, approved, and certified by the health officer as to its purity, and the method of such manufacture free from danger of contaminating such water: *Provided*, That ice sold and used for cooling or refrigerating purposes only may be manufactured from uncertified water if such water at the time of use in the ice molds is denatured by the addition of a coloring substance the amount and kind of which to be specified by the board of health.

Stables; Construction and Care—Manure; Disposal of. (Ord. Dec. 1, 1914.)

15. All stables within the limits of the city of Cumberland, where are stabled or kept horses, cows, or other domestic animals, shall be constructed or reconstructed so as to comply with the following specifications:

Stalls.—All floors of all stalls shall be impervious to water or other liquids, and so graded that all liquids falling thereon will drain to the rear of the stall. At the rear of all stalls shall be placed a gutter or drain into which will flow all liquids draining from the floor of all stalls. Said gutters shall be so graded that all liquid discharged into them will be carried off and conducted to a catch basin or cesspool, which in turn will be connected with a sewer. Said sewer connections shall be not less than 4 inches and shall be kept open and clear at all times.

Lofts.—No hay, straw, or feed shall be kept or stored in any loft over any stalls unless the floor of such loft is sufficiently tight to prevent the dropping or sifting of dust or dirt from such loft into any stall.

Ventilation and light.—All stables shall be provided with opening sufficient for the purpose of light and ventilation. All openings shall be properly screened so as to prevent the entrance into such stable of flies.